

MetaLarv[®] S-PT

MOSQUITO GROWTH REGULATOR

PELLET

ACTIVE INGREDIENT:

(S)-Methoprene (CAS # 65733-16-6)	4.25%
OTHER INGREDIENTS	95.75%
TOTAL	100.00%

EPA Reg. No. 73049-475
EPA Est. No. 33762-IA-001

List No. 05765

INDEX:

- 1.0 First Aid
- 2.0 Precautionary Statements
 - 2.1 Hazard to Humans (and Domestic Animals)
 - 2.2 Environmental Hazards
- 3.0 Directions for Use
- 4.0 Application Directions
 - 4.1 Application Sites and Rates
- 5.0 Storage and Disposal
- 6.0 Warranty Statement

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

FIRST AID	
1.0 If in eyes	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center for treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact (PROSAR service) 1-877-315-9819 (24 hours) for emergency medical treatment and/or transport emergency information. For all other information, call Valent BioSciences 1-800-323-9597.	

2.0 PRECAUTIONARY STATEMENTS

**2.1 Hazards To Humans and Domestic Animals
CAUTION**

Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

2.2 Environmental Hazards

Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate.

3.0 DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Introduction

MetaLarv S-PT is formulated to release S-Methoprene insect growth regulator for up to 42 days. MetaLarv S-PT prevents the emergence of *Aedes*, *Ochlerotatus*, and *Psorophora* spp., (adult floodwater mosquitoes) and *Anopheles*, *Culex*, *Culiseta*, *Coquillettidia*, and *Mansonia* spp (adult standing water mosquitoes).

NOTE: MetaLarv S-PT prevents development of mosquito larvae into adults. MetaLarv S-PT has no effect on mosquitoes that have reached the pupal or adult stage prior to treatment.

4.0 APPLICATION DIRECTIONS

Apply MetaLarv S-PT to mosquito breeding sites at any time during the mosquito season. One application will control adult emergence for up to 42 days. Continue treatment through the last brood of the season. Treated larvae continue to develop normally to the pupal stage where they die.

Apply MetaLarv S-PT to breeding sites that will be intentionally flooded and to sites that will naturally flood, up to 28 days prior to flooding. Periods of greater than 28 days between application and reflooding will provide shorter residual control and will need reapplication based on local program threshold requirements.

Apply the pellets evenly over the entire habitat that is flooded and/or expected to be flooded to maintain continuous control as the site alternately floods and dries. Alternate wetting and drying will not reduce pellet effectiveness.

MetaLarv S-PT can be applied to areas that contain fish, other aquatic life, and plants. MetaLarv S-PT can be applied to areas used by or in contact with humans, pets, horses, livestock, birds, or wildlife.

4.1 Application Sites And Rates

Use lower application rates when water is shallow, vegetation and/or pollution are minimal, and mosquito populations are low. Use higher rates when water is deep (>2 ft), vegetation, pollution, and/or organic debris or water flow are high, and mosquito populations are high. Application of MetaLarv S-PT to sites subject to high organic pollution and water flow or exchange will diminish the product's effectiveness.

Use Sites	Rate Range (lbs/acre)
Floodwater sites Pastures, meadows, freshwater swamps and marshes, salt and tidal marshes, cattail marshes, woodland pools, flood-plains, grassy swales, bogs, tires, and artificial water-holding containers.	2.5-5
Dredge spoil sites, waste treatment and settling ponds, ditches, natural and manmade hollows or sinkhole (that retain water).	5-10
Permanent water sites Ornamental ponds and fountains, fish ponds, cattail marshes, water hyacinth beds, flooded crypts, transformer vaults, abandoned swimming pools, treeholes, manmade craters and pits, and artificial and natural water-holding containers.	2.5-5
Storm drains, catch basins, roadside ditches, cesspools, septic tanks, waste settling ponds, vegetation-choked phosphate pits.	5-10

CONTINUED

MetaLarv S-PT should be broadcast applied as a dry product. Applications can be made using fixed wing aircraft, helicopter, boat, tractor mounted spreader, handheld or backpack spreader. Fixed wing aircraft or helicopters equipped with granular spreaders capable of applying rates from 2.5-10 lb/acre may be used to apply MetaLarv S-PT. The pellets may also be applied using ground equipment that will achieve good, even coverage at rates from 2.5-10 lb/acre.

5.0 STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Do not contaminate water when disposing of equipment washwaters.

Pesticide Storage: Store any unused product in original container. Ensure that container is tightly closed then store in a cool, dry place.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Handling: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

6.0 WARRANTY STATEMENT

To the extent consistent with applicable law, seller makes no warranty, express or implied, of merchantability, fitness or otherwise concerning use of this product other than as indicated on the label. To the extent consistent with applicable law, user assumes all risks of use, storage or handling not in strict accordance with accompanying directions.

MetaLarv is a registered trademark of Valent BioSciences Corporation.