CIOCKE

SAFETY DATA SHEET

DUET® HD Dual-Action Adulticide

Effective Date: 22 August 2024

v.03

Page 1 of 8

SECTION 1. Identification of the Substance/Mixture and of the Company

Product Identifier

Formulation Identifier: DUET® HD Dual-Action Adulticide

EPA Registration Number: 8329-105

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Relevant Identified Uses: An Insecticide for Ultra-Low Volume Application for Adult Mosquito Control

Uses Advised Against: See product label for Use Restrictions

Details of the Supplier of the Safety Data Sheet

Clarke Mosquito Control Products, Inc.

675 Sidwell Court

St. Charles, IL 60174 U.S.A.

+1 (630) 894-2000

Email: Clarke@clarke.com

Emergency Telephone Number

24-Hour Medical Emergency: POISON CONTROL Toll-free (800) 214-7753

24-Hour Transportation Emergency: INFOTRAC (800) 535-5053

SECTION 2. Hazards Identification

United States (US)

According to OSHA 29 CFR 1910.1200 HCS (2012)

Classification of the Substance or Mixture

Not Classified

Hazard Symbol(s):

Signal Word:

Hazard Statements:

None

Precautionary Statements:

None

Other Hazards Not Classifiable Under OSHA 2012 HCS (2012): See product label for any additional hazards

NFPA 704 (National Fire Protection Association)

Health: 2
Flammability: 1
Instability: 0
Special Hazards: None



SECTION 3. Composition/Information on Ingredients

Components



DUET® HD Dual-Action Adulticide

Effective Date: 22 August 2024

v.03

Page 2 of 8

Substance Name	CAS#	Concentration % w/w	
ETOC® (Prallethrin)	23031-36-9	1.0	
SUMITHRIN® (d-Phenothrin)	26002-80-2	5.0	
Piperonyl Butoxide (PBO)	51-03-6	5.0	
Propylene Carbonate	108-32-7	20-30*	

^{*} The exact percentage (concentration) of composition has been withheld as trade secret.

Ingredients not identified are non-hazardous and/or are not required to be disclosed pursuant to 29 CFR 1910.1200 (2012) and are withheld as trade secret.

SECTION 4. First Aid Measures

Description of First Aid Measures

General Advice: If symptoms develop or persist, or for treatment advice, call a poison control center or doctor.

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact

lenses, if present and if easy to do, after the first 5 minutes then continue rinsing.

If on Skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes.

If Swallowed: Call a poison control center or doctor if you feel unwell. DO NOT give any liquid to the

person. DO NOT induce vomiting unless told to do so by a poison control center or doctor.

Never give anything by mouth to an unconscious person.

If Inhaled: Remove affected person to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration; if by mouth-to-mouth use rescuer protection (pocket mask,

etc.).

Most Important Symptoms and Effects, Both Acute and Delayed

The most important known symptoms and effects are described in section 2 and/or in section 11.

Recommendations for Immediate Medical Care and Special Treatment

Can cause temporary mild eye irritation. Symptoms may include irritation, watering, redness.

Treatment: Contains Pyrethoids: For skin effects, a highly efficient therapeutic agent for

Pyrethrin/Pyrethroid exposure is topical application of Tocopherol Acetate (Vitamin E).

SECTION 5. Fire-Fighting Measures

Extinguishing Media

Suitable Extinguishing Media: Carbon Dioxide (CO₂), Dry Chemical, foam

Unsuitable Extinguishing Media: Do not use water jet.

Special Hazards Arising from the Substance or Mixture

Specific Hazards: In a fire or if heated, a pressure increase will occur and the container may burst.

Explosion Data

Sensitivity to Mechanical Impact: None

Sensitivity to Static Discharge: Yes, use proper bonding and/or grounding procedures.

Special Protective Equipment and Precautions for Fire-Fighters

Protection Against Fire: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear.



DUET® HD Dual-Action Adulticide

Effective Date: 22 August 2024

v.03

Page 3 of 8

Special Procedures:

Move container from fire area if it can be done without risk. Do not scatter spilled material with high-pressure water streams. Dike for later disposal. Use extinguishing agents appropriate for surrounding fire. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas.

SECTION 6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

General Precautions: Use appropriate protection (see section 8). Evacuate personnel to safe areas. Keep

people away from and upwind of spill/leak.

Environmental Precautions: Prevent product from entering into drains and waterways. Collect and dispose of this

material and its container in accordance with national and regional regulations. If the

product has contaminated surface water, inform the appropriate authorities.

Methods and Material for Containment and Cleaning Up

Methods for Containment: Prevent further leakage of spillage if safe to do so. Move containers from spill area.

Small Spill: Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers.

Large Spill: Prevent entry into sewers, water courses, basements or confined areas. Dam up and

soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material

may pose the same hazard as the spilled product.

SECTION 7. Handling and Storage

Precautions for Safe Handling

Protective Measures: Wear appropriate personal protection equipment (see section 8). Take prudent

precautions to avoid contact with skin, eyes, and clothing. Mechanical ventilation should be used when handling this product in enclosed spaces. Do not contaminate water, food

or feed stuffs, by storage, handling, or by disposal.

Hygiene Measures: Eating, drinking and smoking should be prohibited in areas where this material is

handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene

measures.

Conditions for Safe Storage, Including Any Incompatibilities

Storage Conditions: Store in a cool, dry place. Keep container closed. Always store pesticides in the original

container. Store away from food and pet food. Keep out of reach of children. Do not store above 129°F (54°C). Avoid storage at temperatures exceeding 100°F (38°C) for

extended periods.

SECTION 8. Exposure Controls / Personal Protection

These precautions are suggested for conditions where the potential for exposure exists. Emergency conditions may require additional precautions.

Control Parameters

Component Name	List/Source	Туре	Value
Inert Ingredient (<60.0%)	US WEEL	TWA Aerosol	10 mg/m ³



DUET® HD Dual-Action Adulticide

Effective Date: 22 August 2024

v.03

Page 4 of 8

Exposure Controls

Engineering Controls: Use with adequate ventilation. Local exhaust ventilation may be necessary for some

operations. Wash hands thoroughly after handling. Wash clothing before re-using.

Individual Protection Measures, such as Personal Protection Equipment

Special Note: Maintain and inspect Personal Protective Equipment before use. Discard and replace

damaged protective equipment. Polycarbonate and nitrile may show degradation after prolonged or repeated exposure to this product. Promptly remove and clean PPE.

Eye Protection: Take precautions to avoid contact with eyes and face. Though not required, it is

recommended to wear safety glasses or goggles when mixing, loading, or using under

pressure.

Skin Protection: Wear suitable protective clothing including long-sleeve shirt, long pants, shoes and

socks.

Hand Protection: It is good industrial hygiene practice to minimize skin contact. If preferred, wear suitable

protective chemical resistant gloves such nitrile, latex (preferable), neoprene, or butylrubber. Promptly clean reusable gloves, if worn, and inspect for signs of damage,

swelling, cracking, or brittleness.

Respiratory Protection: None required. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA

approved respiratory protection should be worn.

SECTION 9. Physical and Chemical Properties

Information on Basic Physical and Chemical Properties

Appearance: Translucent
Color: light-yellow liquid

Odor: Slight odor of petroleum
Odor Threshold: No information available

pH: N/A - Product is not miscible in water

Melting Point: No information available Freezing Point: No information available **Initial Boiling Point:** No information available Flash Point: 139°C (closed cup) No information available **Evaporation Rate:** No information available Flammability: Explosion limits [U/L]: No information available Vapor Pressure: No information available Vapor Density (Air =1): No information available Relative Density: No information available Specific Gravity (Water = 1): 1.1315 g/mL (9.447 lbs/gal) Solubility: No information available

Partition Coefficient: No information available

Auto-Ignition Temperature: No information available

Viscosity: 55 centipoises at 20 °C; 23 centipoises at 40°C

Decomposition Temperature:

Explosive Properties:

Oxidizing Properties:

VOC Content (%):

No information available
No information available
No information available



DUET® HD Dual-Action Adulticide

Effective Date: 22 August 2024

v.03

Page 5 of 8

SECTION 10. Stability and Reactivity

Reactivity: No data available

Chemical Stability: Stable under recommended normal storage conditions

Possibility of Hazardous Reactions

Hazardous Reactions: None under normal conditions

Hazardous Polymerization: Hazardous polymerization does not occur
Conditions to Avoid: Extremes of temperature and direct sunlight

Incompatible Materials: Not compatible with strong acids and bases. Not compatible with oxidizing agents.

Hazardous Decomposition Products: Carbon monoxide (CO), Carbon dioxide (CO₂)

SECTION 11. Toxicological Information

Information on Likely Routes of Exposure

Routes of Entry: Oral, Dermal, Inhalation, Eyes

Information on Toxicological Effects

Acute Toxicity / Effects

Oral, (Rat) LD₅₀ >5,000 mg/kg

 $\begin{array}{ll} \text{Dermal, (Rabbit) } \text{LD}_{50} & >5,000 \text{ mg/kg} \\ \text{Inhalation, Rat LC}_{50} & >5.0 \text{ mg/L} \\ \end{array}$

Skin Corrosion/Irritation: Not a skin irritant
Eye Irritation: Not an eye Irritant.

Skin Sensitization: Negative; Not considered to be a dermal sensitizer (Buehler).

Conditions Aggravated By Exposure: None known STOT – Single Exposure: Not classified

Chronic Toxicity / Effects

Assessment of Repeated Dose Toxicity: No significant signs or symptoms indicative of any adverse health effects are expected

to occur.

Germ Cell Mutagenicity: This product has not been tested. The statement has been derived from the properties

of the individual components. No data is available to indicate product or any components

present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity: This product may contain trace levels of chemicals known to the State of California to

cause cancer, and/or birth defects and/or other reproductive harm.

ethylene oxide (CAS # 75-21-8) propylene oxide (CAS # 75-56-9) 1,4-dioxane (CAS# 123-91-1)

Marginally higher incidences of benign liver tumors in mice were observed following lifetime high dose exposures to PBO. The significance of these observations is undetermined and under review. The doses at which tumors were observed for PBO

greatly exceeded potential exposure from labeled uses.

Reproductive Effects: This product has not been tested. The statement has been derived from the properties

of the individual components. No data is available to indicate product or any components present at greater than 0.1% produce a fertility impairing effect. No indication of a

developmental toxic / teratogenic effect.

STOT – Repeated Exposure: Not classified



DUET® HD Dual-Action Adulticide

Effective Date: 22 August 2024

v.03

Page 6 of 8

SECTION 12. Ecological Information

Ecotoxicity

Product specific data is not available. Data referenced is in relation to active ingredients, Sumithrin, Prallethrin, and PBO.

Toxicity to Fish: Sumithrin: 96-hr Acute LC₅₀ 16.7 μg/L (rainbow trout), 15.8 μg/L (bluegill sunfish)

PBO: 96-hour Acute LC₅₀ 6/12 ppm (rainbow trout)

Prallethrin: LC₅₀ 0.012 mg/L (rainbow trout)

Toxicity to Aquatic Invertebrates: Sumithrin: 48-hr LC₅₀ 4.4 μg/L Daphnia magna

Sumithrin: 48-hr LC₅₀ 0.025 μg/L *Mysidopsis bahia* PBO: 96-hr LC₅₀ 0.49 ppm, *Americamysis bahia* Prallethrin: 48-hr EC50 0.0062 mg/L *Daphnia*

Toxicity to Plants: No data available

Persistence and Degradability

Product specific data not available. Data referenced is in relation to the active ingredients, Sumithrin, Prallethrin, and PBO.

Biodegradability: Not readily biodegradable (by OECD criteria)
Bioconcentration Factor: Sumithrin: 592 (edible), 4,000 (non-edible)

PBO: 2, 175

Prallethrin: no data available

 $Log \; K_{ow} \; : \qquad \qquad Sumithrin: 6$

PBO: 4.95 Prallethrin: 4.49

Depuration: Sumithrin, PBO: 2-4 days

Mobility in Soil: Sumithrin has low water solubility and binds tightly to soil. Based on these properties,

Sumithrin is relatively immobile in soil and its potential to contaminate groundwater is

low.

PBO is not very soluble in water and adheres moderately to soil with organic matter. Prallethrin is not very water soluble and adheres moderately with organic material. The hazard for prallethrin to move off the site of application with rain or irrigation is rated

moderate.

SECTION 13. Disposal Considerations

Waste Treatment and Disposal Methods

Pesticide wastes are regulated. Consult product label for chemical substance and container disposal instructions. Avoid release to the environment. Improper disposal of excess product or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA regional office for guidance.

Container Disposal: Rinse thoroughly in accordance with label instructions.

SECTION 14. Transport Information

DOT (US)

Proper Shipping Name: Agricultural Insecticide. N.O.I. Non-Hazardous

Primary Hazard Class/Division: Non-Hazardous

In Non-Bulk Quantities (i.e., less than or equal to 119 Gallons / 450 Liters): This material is not regulated by the DOT as a hazardous material.



DUET® HD Dual-Action Adulticide

Effective Date: 22 August 2024

v.03

Page 7 of 8

In Bulk Quantities (more than 119 Gallons / 450 Liters):

UN Number: UN3082 Hazard Class: 9 Packing Group: III

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (d-PHENOTHRIN)

Marine Pollutant: Yes

IMDG (Vessel)

UN Number: UN3082 Hazard Class: 9 Packing Group: III

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (d-PHENOTHRIN)

Marine Pollutant: Yes

ICAO/IATA (Air Transport)

UN Number: UN3082 Hazard Class: 9 Packing Group: III

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (d-PHENOTHRIN)

Marine Pollutant: Yes

SECTION 15. Regulatory Information

OSHA HAZARD COMMUNICATION STANDARD: This product is not considered a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

FIFRA Information:

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information for the Safety Data Sheet, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

KEEP OUT OF REACH OF CHILDREN

Signal Word: None

Precautionary Statements, Personal Protective Equipment (PPE), User Safety Requirements, User Safety Recommendations and Engineering Controls: refer to the product label.

Other Federal Regulations

SARA TITLE III CLASSIFICATION

Section 302: None

Section 311/312: Immediate (acute) health hazard

Section 313: d-phenothrin CAS# 26002-80-2 5.0%

piperonyl butoxide CAS# 51-03-6 5.0%

CERCLA RQ: None

US State Regulations

US California Proposition 65: This product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute.



DUET® HD Dual-Action Adulticide

Effective Date: 22 August 2024

v.03

Page 8 of 8

STATE RIGHT-TO-KNOW: National, state, provincial or local emergency planning, community right-to-know or other laws, regulations or ordinances may be applicable--consult applicable national, state, provincial or local laws.

SECTION 16. Other Information

DISCLAIMER OF LIABILITY: The information in this SDS was obtained from sources we believe to be reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared as is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

End of document

[®] DUET is a Trademark of Clarke Mosquito Control Products, Inc.

[®] Sumithrin is a Registered Trademark of Sumitomo Company Ltd.

[®] ETOC is a Registered Trademark of Sumitomo Company Ltd.