

Version 3.0 / USA 102000013918

1/11 Revision Date: 02/09/2015 Print Date: 02/09/2015

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier		
Trade name	PERMANONE® 30-30	
Product code (UVP)	05866587	
SDS Number	102000013918	
EPA Registration No.	432-1235	
Relevant identified uses of th	e substance or mixture and uses advised against	
Use	Insecticide	
Restrictions on use	See product label for restrictions.	
Information on manufacturer		
	Bayer Environmental Science 2 T.W. Alexander Drive Research Triangle PK, NC 27709 United States	
Emergency telephone no.		
Emergency Telephone Number (24hr/ 7 days)	1-800-334-7577 (24 hours/day)	
Product Information Telephone Number	1-800-331-2867	
SDS Information or Request	SDSINFO.BCS-NA@bayer.com	

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200 Skin irritation : Category 2 Acute toxicity (Oral, Inhalation): Category 4



Signal word: Warning

Hazard statements Causes skin irritation. Harmful if swallowed or if inhaled.

Precautionary statements Wash thoroughly after handling. Wear protective gloves.



PERMANONE® 30-30

Version 3.0 / USA 102000013918

2/11 Revision Date: 02/09/2015 Print Date: 02/09/2015

Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. IF ON SKIN: Wash with plenty of water/soap. Specific treatment (see supplemental first aid instructions on this label). If skin irritation occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse. IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell. Rinse mouth. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor/physician if you feel unwell. Dispose of contents/container in accordance with local regulation.

Other hazards

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name Permethrin Piperonyl butoxide HYDROTREATED MIDDLE DISTILLATES (PETROLEUM) **CAS-No.** 52645-53-1 51-03-6 64742-46-7 Concentration % by weight 30.00 30.00 38.80

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

Most important symptoms and effects, both acute and delayed



Version 3.0 / USA 102000013918

3/11 Revision Date: 02/09/2015 Print Date: 02/09/2015

Symptoms Indication of any immediate	To date no symptoms are known. medical attention and special treatment needed
Risks	Contains hydrocarbon solvents. May pose an aspiration pneumonia hazard. This product contains a pyrethroid.
Treatment	Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media		
Suitable	Carbon dioxide (CO2), Dry chemical, Foam, Water	
Unsuitable	None known.	
Special hazards arising from the substance or mixture	Dangerous gases are evolved in the event of a fire.	
Advice for firefighters		
Special protective equipment for fire-fighters	Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.	
Further information	Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.	
Flash point Autoignition temperature	129.5 °C no data available	
Lower explosion limit	no data available	
Upper explosion limit	no data available	
Explosivity	not applicable	

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures		
Precautions	Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.	
Methods and materials for containment and cleaning up		
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.	
Additional advice	Use personal protective equipment. Do not allow to enter soil,	



Version 3.0 / USA 102000013918

4/11 Revision Date: 02/09/2015 Print Date: 02/09/2015

waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	Use only in area provided with appropriate exhaust ventilation. Handle and open container in a manner as to prevent spillage.	
Advice on protection against fire and explosion	Keep away from heat and sources of ignition.	
Hygiene measures	Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics. Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.	
Conditions for safe storage, including any incompatibilities		
Requirements for storage areas and containers	Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children,	

preferably in a locked storage area.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Permethrin	52645-53-1	5 mg/m3 (TWA)	03 2014	ACGIH
Permethrin	52645-53-1	5 mg/m3 (REL)	2010	NIOSH
Permethrin	52645-53-1	5 mg/m3 (PEL)	02 2006	OSHA Z1
Permethrin	52645-53-1	5 mg/m3 (TWA)	1989	OSHA Z1A
Permethrin	52645-53-1	5 mg/m3 (TWA)	06 2008	TN OEL
Permethrin (Particulate.)	52645-53-1	50ug/m3 (ST ESL)	02 2013	TX ESL
Permethrin (Particulate.)	52645-53-1	5ug/m3 (AN ESL)	02 2013	TX ESL



Version 3.0 / USA 102000013918

5/11 Revision Date: 02/09/2015 Print Date: 02/09/2015

Permethrin	52645-53-1	5 mg/m3 (TWA PEL)	09 2013	US CA OEL
Permethrin	52645-53-1	10 mg/m3 (TWA)		OES BCS*
Piperonyl butoxide	51-03-6	500 ppm (TWA)		OES BCS*
HYDROTREATED MIDDLE DISTILLATES (PETROLEUM) (Inhalable fraction.)	64742-46-7	5 mg/m3 (TWA)	03 2014	ACGIH
HYDROTREATED MIDDLE DISTILLATES (PETROLEUM)	64742-46-7	3500ug/m3 (ST ESL)	02 2013	TX ESL
HYDROTREATED MIDDLE DISTILLATES (PETROLEUM)	64742-46-7	350ug/m3 (AN ESL)	02 2013	TX ESL

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protectionWhen respirators are required, select NIOSH approved equipment
based on actual or potential airborne concentrations and in
accordance with the appropriate regulatory standards and/or industry
recommendations.Hand protectionChemical resistant nitrile rubber gloves

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.

Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	beige to brown
Physical State	Liquid
Odor	characteristic
Odour Threshold	no data available
рН	no data available
Vapor Pressure	no data available

PERMANONE® 30-30

Version 3.0 / USA 102000013918



6/11 Revision Date: 02/09/2015 Print Date: 02/09/2015

no data available
ca. 0.99 g/cm3 at 20 °C
8.25 lb/gal
no data available
no data available no data available
non-emulsifiable
not applicable
no data available
not applicable
47 mPa.s at 20 °C
129.5 °C no data available
no data available
no data available
not applicable

SECTION 10: STABILITY AND REACTIVITY

Reactivity	
Thermal decomposition	no data available
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	no data available
Incompatible materials	Strong oxidizing agents
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routesEye contact, Skin contact, Ingestion, InhalationImmediate Effects

PERMANONE® 30-30

Version 3.0 / USA 102000013918



7/11 Revision Date: 02/09/2015 Print Date: 02/09/2015

Eye	Moderate eye irritation.		
Skin	Causes skin irritation. Harmful if absorbed through skin		
Ingestion	Harmful if swallowed.		
Inhalation	May be harmful if inhaled.		
Information on toxicological effects			
Acute oral toxicity	LD50 (male/female combined rat) 993 mg/kg		
Acute inhalation toxicity	LC50 (rat) > 2.2 mg/l Exposure time: 4 h Determined in the form of liquid aerosol.		
	LC50 (rat) > 8.8 mg/l Exposure time: 1 h Determined in the form of liquid aerosol. Extrapolated from the 4 hr LC50.		
Acute dermal toxicity	LD50 (rat) > 2,000 mg/kg		
Skin irritation	Moderate skin irritation. (rabbit)		
Eye irritation	Mild eye irritation. (rabbit)		
Sensitisation	Non-sensitizing. (guinea pig)		

Assessment repeated dose toxicity

Permethrin did not cause specific target organ toxicity in experimental animal studies. Piperonyl butoxide did not cause specific target organ toxicity in experimental animal studies.

Assessment Mutagenicity

Permethrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Piperonyl butoxide was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment Carcinogenicity

Permethrin caused at high dose levels an increased incidence of tumours in mice in the following organ(s): liver, Lungs. The mechanism that triggers tumours in rodents is not relevant for the low exposures encountered under normal use conditions.

Piperonyl butoxide was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

HYDROTREATED MIDDLE DISTILLATES (PETROLEUM)	64742-46-7	Group A4
NTP		
HYDROTREATED MIDDLE DISTILLATES (PETROLEUM)	64742-46-7	1980
IARC		
Permethrin Piperonyl butoxide HYDROTREATED MIDDLE DISTILLATES (PETROLEUM)	52645-53-1 51-03-6 64742-46-7	Overall evaluation: 3 Overall evaluation: 3 Overall evaluation: 3
HYDROTREATED MIDDLE DISTILLATES	64742-46-7	Overall evaluation: 1



PERMANONE® 30-30

Version 3.0 / USA 102000013918

8/11 Revision Date: 02/09/2015 Print Date: 02/09/2015

(PETROLEUM)

OSHA

None.

Assessment toxicity to reproduction

Permethrin did not cause reproductive toxicity in a two-generation study in rats. Piperonyl butoxide did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Permethrin did not cause developmental toxicity in rats and rabbits. Piperonyl butoxide did not cause developmental toxicity in rats and rabbits.

Further information

Only acute toxicity studies have been performed on the formulated product. The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish	LC50 (Poecilia reticulata (guppy)) 0.0076 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient permethrin.		
	LC50 (Cyprinodon variegatus (sheepshead minnow)) 3.94 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient piperonyl butoxide.		
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 0.00017 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient permethrin.		
	EC50 (Daphnia magna (Water flea)) 0.51 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient piperonyl butoxide.		
Toxicity to aquatic plants	EC50 (Algae) 0.5 mg/l Exposure time: 72 h The value mentioned relates to the active ingredient permethrin.		
	EC50 (Algae) > 9.1 mg/l Exposure time: 72 h The value mentioned relates to the active ingredient piperonyl butoxide.		
Biodegradability	Permethrin: ; not rapidly biodegradable Piperonyl butoxide: ; not rapidly biodegradable		
Кос	Permethrin: Koc: 100000 Piperonyl butoxide: Koc: 399 - 830		
Bioaccumulation	Permethrin: Bioconcentration factor (BCF) 300; Does not		



PERMANONE® 30-30

Version 3.0 / USA 102000013918 **9/11** Revision Date: 02/09/2015 Print Date: 02/09/2015

	bioaccumulate. Piperonyl butoxide: ; Potential bioaccumulation	
Mobility in soil	Permethrin: Immobile in soil Piperonyl butoxide: Moderately mobile in soils	
Environmental precautions	Do not apply when weather conditions favor runoff or drift. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not allow to get into surface water, drains and ground water. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Apply this product as specified on the label. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.	

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product	Pesticide, spray mixture or rinse water that cannot be used according to label instructions may be disposed of on site or at an approved waste disposal facility.
Contaminated packaging	Triple rinse containers. Puncture container to avoid re-use. Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State/Provincial and local authorities, by burning. If burned, stay out of smoke. Follow advice on product label and/or leaflet.
RCRA Information	Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply. When and if this material is determined to be a waste, if discarded, this material may carry RCRA waste code(s) NON-RCRA . State and local laws may vary and must be considered.

SECTION 14: TRANSPORT INFORMATION

49CFR	Not dangerous goods / not hazardous material	
IMDG UN number Class Packaging group Marine pollutant Proper shipping name	3082 9 III YES ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PERMETHRIN, PIPERONYL BUTOXIDE SOLUTION)	



PERMANONE® 30-30

Version 3.0 / USA 102000013918

10/11 Revision Date: 02/09/2015 Print Date: 02/09/2015

ΙΑΤΑ	
UN number	3082
Class	9
Packaging group	III
Environm. Hazardous Mark	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
	N.O.S.
	(PERMETHRIN, PIPERONYL BUTOXIDE SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification:

INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN POISON

SECTION 15: REGULATORY INFORMATION

EPA Registration No. US Federal Regulations TSCA list	432-1235			
Piperonyl butoxide HYDROTREATED MIDDLE DISTILLATES (PETROLEUM)		51-03-6 64742-46-7		
US. Toxic Substances Contr None.		A) Section 12(b)	Export Notification	on (40 CFR 707, Subpt D)
SARA Title III - Section 302 - None.	Notification	and Informatio	n	
SARA Title III - Section 313 -	Toxic Chem		porting	
Permethrin		52645-53-1		1.0%
Piperonyl butoxide		51-03-6		1.0%
US States Regulatory Repor	ting			
CA Prop65	any autora	as known to the	State of California	to couloo concor
This product does not contain	any substance		State of California	to cause cancer.
This product does not contain reproductive harm.	any substanc	es known to the	State of California	to cause
US State Right-To-Know Ing	redients			
Permethrin	ouloino	52645-53-1	NJ, RI	
Piperonyl butoxide		51-03-6	NJ, RI	
HYDROTREATED MIDDLE		64742-46-7	CA	
DISTILLATES (PETROLEUM)				
Canadian Regulations Canadian Domestic Substan HYDROTREATED MIDDLE	ce List	64742-46-7		
DISTILLATES (PETROLEUM)				



PERMANONE® 30-30

Version 3.0 / USA 102000013918

11/11 Revision Date: 02/09/2015 Print Date: 02/09/2015

Environmental CERCLA None. Clean Water Section 307 Priority Pollutants None. Safe Drinking Water Act Maximum Contaminant Levels Permethrin 52645-53-1

International RegulationsEuropean Inventory of Existing Commercial Substances (EINECS)Permethrin52645-53-1HYDROTREATED MIDDLE64742-46-7DISTILLATES (PETROLEUM)52645-53-1

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word:

Caution!

Hazard statements:

Harmful if swallowed or absorbed through skin. Moderate eye irritation. Avoid contact with skin, eyes and clothing.

SECTION 16: OTHER INFORMATION

NFPA 704 (National Fire Protection Association):				
Health - 2	Flammability - 1	Instability - 0	Others - none	
HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)				
Health - 1	Flammability - 1	Physical Hazard - 0	PPE -	

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Revised according to the current OSHA Hazard Communication Standard (29CFR1910.1200)

Revision Date: 02/09/2015

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.