	SWMP Bud	get Level of Effort ¹	Stormwater Utility					
	Α	В	С	D		E	F	
Element	Restricted (\$44.43/SFU	Revised Unincorp BC (\$50/SFU)	Municipal Cost-Share	FY2011 Actual	2	Net Efforts	Variance (B vs. E)	
) 051 014	,	Oost-Onarc		3		,	
SW Regulations	\$51,914		-	\$107,295	4	\$107,295	·	
PSMS Enhancements	\$247,200	\$278,189	-	-	4	-	(\$278,189)	
WQ Controls for Existing Dev	\$223,231	\$251,215	(\$54,062)	\$179,366	3	\$125,304	(\$125,911)	
WQ Monitoring	\$99,935	\$112,463	(\$30,389)	\$116,989	3	\$86,600	(\$25,863)	
Annual Maintenance	\$1,380,000	\$1,552,997	-	\$2,484,081		\$2,484,081	\$931,084	
Inventory of 2nd SW System	\$0	\$0	-	-	5	ı	-	
Additional Study and Analysis	\$48,280	\$54,332	-	\$79,893		\$79,893	\$25,561	
Public Information	\$26,000	\$29,259	(\$17,505)	\$48,065		\$30,560	\$1,300	
Utility Administration	\$168,200	\$189,286	(\$156,174) ⁶	\$319,049		\$162,874	(\$26,411)	
Total	\$2,244,760	\$2,526,163	(\$258,130)	\$3,334,738		\$3,076,608	\$550,445	

¹Table 16-12 of the Stormwater Management Plan

²Unaudited and preliminary

³Funded from Del Webb Agreement Fund: \$10,000 SW Regulations, \$8,677 WQ Controls, & \$42,426 WQ Monitoring

⁴Enhancements to the drainage system are included in Annual Maintenance

⁵Captured in-house on an ongiong basis. Capturing only the systems that are maintained by the utility

⁶Estimating municipal contribution of 48.95% of SW Administration budget based on SFU cost-share matrix

	Stormwa	Utility Activities	
	E	F	G
			FY 2012
Element	Net Efforts	Variance	Budget
SW Regulations	\$107,295	\$48,873	\$116,690
PSMS Enhancements	-	(\$278,189)	\$25,000
WQ Controls for Existing Dev	\$125,304	(\$125,911)	\$550,000
WQ Monitoring	\$86,600	(\$25,863)	\$115,000
Annual Maintenance	\$2,484,081	\$931,084	\$2,533,801
Inventory of 2nd SW System	-	-	-
Additional Study and Analysis	\$79,893	\$25,561	\$50,000
Public Information	\$30,560	\$1,300	\$30,000
Utility Administration	\$162,874	(\$26,411)	\$150,513
Total	\$3,076,608	\$550,445	\$3,571,004